

FRONT

EarthWorks™

Growth products for professional turf management

Trilogy TBS 1-5-5 Liquid Fertilizer

Macro and micro nutrients
Fish Meal
Kelp Extract

23Lbs (10.4Kg - 9.2 lbs./gal.)
(2.5 gallons / 9.5 liters)

BACK

Trilogy TBS 1-5-5 Liquid Fertilizer

Use Instructions

Turf Maintenance

Greens and Tees: Apply 12 ounces per 1000 sq. ft. every two weeks in 2 gallons of water. Increase frequency on heavily compacted soils or sodium rich soils.

Fairways and athletic fields: Apply 2 to 2.5 gallons per acre per month, increasing rates to 3 to 4 gallons per acre per month on compacted or problematic soils. Mix into 80 gallons of water.

Lawn Care: Apply 1.5 to 2 gallons per acre 3 to 4 times per year on sites. Mix into 80 gallons of water.

Ornamentals

Apply 8 ounces per 2 gallons of water drenched into the soil monthly.

Transplants

Apply 10 ounces per 2 gallons of water drenched around roots at time of Planting.

Trilogy can be tank mixed with most turf products, a bench test is always recommended.

Guaranteed Analysis

Total Nitrogen (N)	1.00%
0.30% Ammoniacal Nitrogen	
0.35% Nitrate Nitrogen	
0.35% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	5.00%
Boron (B)	0.02%
Iron (Fe)	0.14%

Derived from: Fish Meal, Kelp Extract, Urea, Monoammonium Phosphate, Potassium Nitrate, Monopotassium Phosphate, Phosphoric Acid, Potassium Hydroxide, Sodium Borate and Ferrous Sulfate.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

Guaranteed Analysis

38% Organic Matter (Derived from Kelp Extract, Fish Meal, Molasses)
2.0% Ammonium Lauryl Sulfate (Surfactant)
1.0% Oilseed Extract (Surfactant)
0.75% Humic Acid (Derived from Leonardite)
58.25% - Other Ingredients

Organic matter in the Kelp Extract, Fish Meal and Molasses are a source of carbon that serves as food for soil microbes. Humic acids may aid in micronutrient uptake. Surfactants are used to reduce the surface tension of liquids allowing easier penetration into soil.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

Condition of Sale

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make warranty, guarantee or direction concerning this product.
2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Storage Precautions

Store in manufacturer's containers when possible. If not, store in polyolefin or polyethylene storage tanks. Do not store for extended periods in mild steel and only in approved fiberglass. Although stainless steel tanks are less prone to corrosion than mild steel, they are not recommended for extended storage. Do not use nylon fittings and valves. PVC or polypropylene valves and fittings are recommended.

CAUTION: KEEP OUT OF REACH OF CHILDREN WARNING

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, and/or skin. Avoid contact with the eyes, skin and clothing. If swallowed: induce vomiting by sticking finger down throat. Never give anything by mouth to unconscious person. Get medical attention immediately. If in eyes, wash eyes with plenty of clear water for at least 15 minutes. Get medical attention immediately.

Keep stored above 32°F or 0°C
DO NOT ALLOW TO FREEZE

Guaranteed by:

EarthWorks
1500 Uhler Road
Easton, PA 18040
800 732-TURF
www.earthworksfirst.com

F1399